



 **EUROTRONIC**

# EUROSCREEN 1%

UV Filter	93%	Peso weight	500g/m <sup>2</sup> ±0.5% UNE 53352
PVC	70%	Ancho Width	3m 118"
Poliéster Polyester	30%	Longitud Length	30 m 32.82 yds
Esterilla Basket weave			2/2 0.34 mm
Tracción urdimbre Tensile strength warp			165 daN 5cm ± 5%
Tracción trama Tensile strength weft			130 daN 5cm ± 5%
Desgarro urdimbre Tear strength warp			8 daN 5cm ± 10%
Desgarro trama Tear strength weft			8 daN 5cm ± 10%



ANTI-BACTERIAL  
UNE EN 1122



CLASS I  
UNE EN 13773

	Super blanco	AS.300.00X
	Blanco	AS.300.005
	Blanco - lino	AS.300.508
	Lino	AS.300.008
	Blanco - Gris perla	AS.300.305
	Gris perla	AS.300.003
	Antracita	AS.300.007
	Blanco - Gris oscuro	AS.300.006
	Gris oscuro	AS.300.001
	Negro	AS.300.004
	Negro-Chocolate	AS.300.408

# EUROSCREEN 5%

UV Filter	85%	Peso weight	440g/m <sup>2</sup> ±0.5% UNE 53352
PVC	70%	Ancho Width	3m 118"
Poliéster Polyester	30%	Longitud Length	30 m 32.82 yds
Esterilla Basket weave			2/2 0.34 mm
Tracción urdimbre Tensile strength warp			130 daN 5cm ± 5%
Tracción trama Tensile strength weft			130 daN 5cm ± 5%
Desgarro urdimbre Tear strength warp			7.5 daN 5cm ± 10%
Desgarro trama Tear strength weft			7.5 daN 5cm ± 10%



**ANTI-BACTERIAL**  
UNE EN 1122



**CLASS I**  
UNE EN 13773

	Super blanco	CS.300.00X
	Blanco	CS.300.005
	Blanco - lino	CS.300.508
	Lino	CS.300.008
	Blanco - Gris perla	CS.300.305
	Gris perla	CS.300.003
	Antracita	CS.300.007
	Blanco - Gris oscuro	CS.300.006
	Gris oscuro	CS.300.001
	Negro	CS.300.004
	Negro-Chocolate	CS.300.408

# EUROSCREEN 10%

UV Filter	80%	Peso weight	410g/m <sup>2</sup> ±0.5% UNE 53352
PVC	70%	Ancho Width	3m 118"
Poliéster Polyester	30%	Longitud Length	30 m 32.82 yds
Esterilla Basket weave			2/2 0.34 mm
Tracción urdimbre Tensile strength warp			120 daN 5cm ± 5%
Tracción trama Tensile strength weft			120 daN 5cm ± 5%
Desgarro urdimbre Tear strength warp			7.5 daN 5cm ± 10%
Desgarro trama Tear strength weft			7.5 daN 5cm ± 10%



**ANTI-BACTERIAL**  
UNE EN 1122



**CLASS I**  
UNE EN 13773

	Blanco	DS.300.005
	Blanco - Gris perla	DS.300.305
	Blanco - lino	DS.300.508
	Blanco - Gris oscuro	DS.300.002

# METALSCREEN 2%


UV Filter	90%	Peso weight	470g/m <sup>2</sup> ±0.5% UNE 53352
PVC	70%	Ancho Width	3m 118"
Poliéster Polyester	30%	Longitud Length	30 m 32.82 yds
Esterilla Basket weave			2/2 0.34 mm
Tracción urdimbre Tensile strength warp			150 daN 5cm ± 5%
Tracción trama Tensile strength weft			150 daN 5cm ± 5%
Desgarro urdimbre Tear strength warp			7.5 daN 5cm ± 10%
Desgarro trama Tear strength weft			7.5 daN 5cm ± 10%



ANTI-BACTERIAL  
UNE EN 1122



CLASS I  
UNE EN 13773









Blanco	MS.300.005
Blanco - Gris perla	MS.300.305
Blanco - lino	MS.300.508

# BLACKOUT HARMONY

UV Filter	100%	Peso weight	370g/m <sup>2</sup> ±0.5% UNE 53352
Poliéster con recubrimiento acrílico Polyester with acrylic coating		Ancho Width	3m 118"
		Longitud Length	30 m 32.82 yds
Esterilla Basket weave			BLACKOUT 0.49 mm 300D
Tracción urdimbre Tensile strength warp			165 daN 5cm ± 5%
Tracción trama Tensile strength weft			130 daN 5cm ± 5%
Desgarro urdimbre Tear strength warp			8 daN 5cm ± 10%
Desgarro trama Tear strength weft			8 daN 5cm ± 10%



ANTI-BACTERIAL  
UNE EN 1122






	Blanco	BL.300.001
	Crudo	BL.300.003
	Beige	BL.300.007
	Marrón	BL.300.011
	Gris claro	BL.300.015
	Negro	BL.300.025

# BLACKOUT TESSIRO

UV Filter	100%	Peso weight	370g/m <sup>2</sup> ±0.5% UNE 53352
Poliéster Polyester	100%	Ancho Width	2.80m 110"
		Longitud Length	30 m 32.82 yds
Esterilla Basket weave			BLACKOUT 0.49 mm 300D
Tracción urdimbre Tensile strength warp			165 daN 5cm ± 5%
Tracción trama Tensile strength weft			130 daN 5cm ± 5%
Desgarro urdimbre Tear strength warp			8 daN 5cm ± 10%
Desgarro trama Tear strength weft			8 daN 5cm ± 10%



ANTI-BACTERIAL  
UNE EN 1122

	Gris Arena	TS.280.001
	Arena	TS.280.002
	Gris azulado	TS.280.004
	Tierra	TS.280.006
	Antracita	TS.280.008

CERTIFICADO POR:








# BLACKOUT VINYL FG

UV Filter	100%	Peso weight	390g/m <sup>2</sup> ±10gsm UNE 53352
PVC	70%	Ancho Width	3 m 118"
Fibra de vidrio Fiberglass	30%	Longitud Length	30 m 32.82 yds
Esterilla Basket weave			BLACKOUT 0.49 mm 600D
Tracción urdimbre Tensile strength warp			165 daN 5cm ± 5%
Tracción trama Tensile strength weft			130 daN 5cm ± 5%
Desgarro urdimbre Tear strength warp			8 daN 5cm ± 10%
Desgarro trama Tear strength weft			8 daN 5cm ± 10%



CLASS I  
UNE EN 13773

	Blanco	FG.300.001
	Crudo	FG.300.002
	Beige	FG.300.003
	Gris perla	FG.300.004
	Negro	FG.300.006

CERTIFICADO POR:







[eurotronic-europe.com](http://eurotronic-europe.com)

C/Pica d'Estats, 108-118  
Polígono Industrial Sant Isidre 08272  
Sant Fruitós de Bages (Barcelona)  
ESPAÑA

[pedidos@eurotronic-europe.com](mailto:pedidos@eurotronic-europe.com)

Tel: +34 932 420 108

